QUICK 3PL
LOGISTICS SIMPLIFIED

TABLE OF CONTENTS

Carton Sealer CX Series 2
Fully Automatic Carton Edge Sealing Machine CXFEB(CE) 2
Fully Automatic Flap Folding Carton Sealing Machine CXF3A 3
Fully Automatic Carton Edge Sealing Machine CXFEB 4
Semi-automatic Carton Edge Sealing Machine CXEB (Standard Type) 5
Semi-automatic Flap Folding and Carton Sealing Machine CXA3 6
Fully Automatic Flap Folding and Carton Sealing Machine CXF2A 7
Semi-automatic Flap Folding and Carton Sealing Machine CXA2 8
Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine With CE Safety Switch & Covers CXF3CE 9
Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine CXF3 10
Fully Automatic Side Double Belts Driving Carton Sealing Machine CXF2CE 11
Fully Automatic Side Double Belts Driving Carton Sealing Machine CXF2 12
Semi-Automatic Carton Sealing Machine with Cutting Device CX2M 13
Semi-automatic Carton Bottom Sealing Machine CX6 14
Semi-automatic Carton Side Sealing Machine CX5 15
Semi-automatic Top and Side Double Belts Driving Carton Sealing Machine CX3 16
Economic Type Semi-automatic Side Double Belts Driving Carton Sealing Machine CX2 18
Semi-automatic Top and Bottom Belts Driving Carton Sealing Machine CX1 19

CARTON SEALER CX SERIES

FULLY AUTOMATIC CARTON EDGE SEALING MACHINE CXFEB(CE)

SKU: CXFEB(CE)

Fully Automatic Carton Edge Sealing Machine CXFEB(CE)

The **CXFEB(CE) Fully Automatic Carton Edge Sealing Machine** is designed for seamless, efficient, and reliable sealing of carton edges in industrial packaging lines. Engineered for performance, it automatically seals all four edges of a carton, enhancing packaging security and presentation while minimizing manual labor.

Fully Automatic Carton Edge Sealing Machine CXFEB(CE) is ideal for warehouses, e-commerce fulfillment centers, manufacturing plants, and logistics operations seeking consistent and high-speed carton sealing.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L600 x W500 x H500 mm Min: L260 x W200 x H180mm
Tape Width	50 mm (2”) or 76 mm (3”)
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Air Compressor	6 kg / cm2

Category: Carton Sealer CX Series

FULLY AUTOMATIC FLAP FOLDING CARTON SEALING MACHINE CXF3A

SKU: CXF3A

Fully Automatic Flap Folding Carton Sealing Machine CXF3A

- Fully Automatic Flap Folding Carton Sealing Machine CXF3A has an automatic pneumatic system for adjusting the width & height of the carton, and it is suitable for the fully-automatic packing system with various sizes of cartons.
- The top flaps of the carton will be automatically folded and sealed smoothly at a time. It will save labor and a lot of time.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L550 x W550 x H600 mm Min: L200 x W170 x H120mm
Tape Width	50 mm (2″) or 76 mm (3″)
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Air Compressor	6 kg / cm2

Category: Carton Sealer CX Series

FULLY AUTOMATIC CARTON EDGE SEALING MACHINE CXFEB

SKU: CXFEB

Fully Automatic Carton Edge Sealing Machine CXFEB

- The width & height of the carton are adjusted by an automatic pneumatic system and it is suitable for the fully-automatic packing system with various sizes of cartons.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L730 x W550 x H600 mm Min: L280 x W180 x H180mm
Tape Width	50 mm (2″) or 76 mm (3″)
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Air Compressor	6 kg / cm2

Category: Carton Sealer CX Series



SEMI-AUTOMATIC CARTON EDGE SEALING MACHINE CXEB (STANDARD TYPE)

SKU: CXEB

Semi-automatic Carton Edge Sealing Machine CXEB (Standard Type)

- Semi-automatic Carton Edge Sealing Machine CXEB is equipped with top & bottom belts driving device with 4 sets of taping heads on both sides.
- Suitable for various carton sizes for adhesive tape sealing, with compact design can be used in many different working spaces.
- Opening offer for customized machinery.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L730 x W550 x H600 mm Min: L280 x W180 x H180mm
Tape Width	50 mm (2″) or 76 mm (3″)
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Air Compressor	6 kg / cm2

Category: Carton Sealer CX Series

SEMI-AUTOMATIC FLAP FOLDING AND CARTON SEALING MACHINE CXA3

SKU: CXA3

Semi-automatic Flap Folding and Carton Sealing Machine CXA3

- Semi-automatic Flap Folding and Carton Sealing Machine CXA3 is equipped with top & side belts and a pneumatic folding device.
- When the users feed the carton into the machine, the machine will automatically fold the front flap, rear flap, and side flaps of the carton, then process to tape the carton and send out the carton.
- The height and the width of the carton can be adjusted by the crank handle, and it is easy to adjust.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L500 x W500 x H500 mm Min: L200 x W150 x H110mm
Tape Width	50 mm (2”) or 76 mm (3”)
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Air Compressor	6 kg / cm2

Category: Carton Sealer CX Series

FULLY AUTOMATIC FLAP FOLDING AND CARTON SEALING MACHINE CXF2A

SKU: CXF2A

Fully Automatic Flap Folding and Carton Sealing Machine CXF2A

- Fully Automatic Flap Folding and Carton Sealing Machine CXF2A has an automatic pneumatic system that adjusts the width & height of the carton, and it is suitable for the fully-automatic packing system with various sizes of cartons.
- The side driving device can automatically fix the position of the carton, start sealing, and the whole operation is stable.
- The top flaps of the carton will be automatically folded and sealed smoothly at a time. It will save labor and a lot of time

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L500 x W500 x H500 mm Min: L200 x W170 x H120mm
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Air Compressor	6 kg / cm2

Category: Carton Sealer CX Series

SEMI-AUTOMATIC FLAP FOLDING AND CARTON SEALING MACHINE CXA2

SKU: CXA2

Semi-automatic Flap Folding and Carton Sealing Machine CXA2

- Semi-automatic Flap Folding and Carton Sealing Machine CXA2 is equipped with side belts and pneumatic folding devices.
- When the users feed the carton into the machine, the machine will automatically fold the front flap, rear flap, and side flaps of the carton, then process to tape the carton and send out the carton.
- The height and the width of the carton can be adjusted by the crank handle, and it is easy to adjust

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W500 x H500 mm Min: L200 x W135 x H110mm
Tape Width	50 mm (2”) or 76 mm (3”)
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Dimensions	
Air Compressor	6 kg / cm2

Category: Carton Sealer CX Series

FULLY AUTOMATIC TOP AND SIDE DOUBLE BELTS DRIVING CARTON SEALING MACHINE WITH CE SAFETY SWITCH & COVERS CXF3CE

SKU: CXF3CE

Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine With CE Safety Switch & Covers CXF3CE

- The top and side double driving belts are suitable for various heavy products.
- Connected with strapping machines, conveyors, and weight machines to be a complete packing line.
- Adjust the height and width in accordance with the different sizes of cartons automatically.
- The side motors and upper taping head are controlled by the cylinder and automatically fix the position of the carton.
- Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine is equipped with a CE safety switch for CE application.
- Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine is equipped with 2 sides of safety covers for CE application.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W500 x H500 mm Min: L150 x W135 x H120mm
Tape Width	50 mm (2″) or 76 mm (3″)
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Dimensions	L1240 x W975 x H1425 mm
Air Compressor	6 kg / cm2

Category: Carton Sealer CX Series

FULLY AUTOMATIC TOP AND SIDE DOUBLE BELTS DRIVING CARTON SEALING MACHINE CXF3

SKU: CXF3

Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine CXF3

- To adjust the height and width in accordance with the different sizes of cartons automatically.
- The side driving device can automatically fix the position of the carton, start sealing, and the whole operation is stable.
- Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine CXF3 has top and side driving belts that are suitable for heavy products.
- The side motors and upper taping head are controlled by the cylinder and automatically fix the position of the carton. It is available as an automatic packing system.
- The table height can be adjusted according to the height of the input & output conveyors

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W500 x H500 mm Min: L150 x W135 x H120mm
Tape Width	50 mm (2″) or 76 mm (3″)
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Dimensions	L1240 x W910 x H1320
Air Compressor	6 kg / cm2
Net Weight	165 kg

Category: Carton Sealer CX Series

FULLY AUTOMATIC SIDE DOUBLE BELTS DRIVING CARTON SEALING MACHINE CXF2CE

SKU: CXF2CE

Fully Automatic Side Double Belts Driving Carton Sealing Machine CXF2CE

Economic Type Fully-automatic Side Double Belts Driving Carton Sealing Machine With CE Safety Switch & Covers

- The side double driving belts are suitable for various heavy products.
- Fully Automatic Side Double Belts Driving Carton Sealing Machine can be connected with strapping machines, conveyors, and weight machines to be a complete packing line.
- Adjust the height and width in accordance with the different sizes of cartons automatically.
- The side motors and upper taping head are controlled by the cylinder and automatically fix the position of the carton.
- Fully Automatic Side Double Belts Driving Carton Sealing Machine is equipped with a CE safety switch for CE application.
- Equipped with 2 sides of safety covers for CE application.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W500 x H500 mm Min: L150 x W135 x H120mm
Tape Width	50 mm (2″) or 76 mm (3″)
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Dimensions	L1240 x W975 x H1425
Air Compressor	6 kg / cm2

Category: Carton Sealer CX Series

FULLY AUTOMATIC SIDE DOUBLE BELTS DRIVING CARTON SEALING MACHINE CXF2

SKU: CXF2

Fully Automatic Side Double Belts Driving Carton Sealing Machine CXF2

- To adjust height and width in accordance with the different sizes of cartons automatically.
- Fully Automatic Side Double Belts Driving Carton Sealing Machine CXF2 has a side driving device that can automatically fix the position of the carton, start sealing, and the whole operation is stable.
- The side motors and upper taping head are controlled by the cylinder and automatically fix the position of the carton. It is available for an automatic packing system.
- The table height can be adjusted according to the height of the input & output conveyors.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W500 x H500 mm Min: L150 x W135 x H120mm
Tape Width	50 mm (2″) or 76 mm (3″)
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Dimensions	
Air Compressor	6 kg / cm2

Category: Carton Sealer CX Series

SEMI-AUTOMATIC CARTON SEALING MACHINE WITH CUTTING DEVICE CX2M

SKU: CX2M

Semi-Automatic Carton Sealing Machine with Cutting Device CX2M

Semi-automatic Side Belts Driving with Mini Frame and Pneumatic Cutting Device Carton Sealing Machine

- Semi-Automatic Carton Sealing Machine with Cutting Device CX2M is equipped with downsize of side belts, staged-taper, and machine frame.
- Design for smaller carton sizes for adhesive tape sealing, with pneumatic cutting devices.
- Optionally extensive working tables can integrate various packaging equipment working on a packing line.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L360 x W128 x H360 mm Min: L110 x W70 x H50mm
Tape Width	50 mm (2”)
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20 Cartons per minute
Dimensions	(Carton: L500mm, Power:60 Hz)
Air Compressor	

Category: Carton Sealer CX Series

SEMI-AUTOMATIC CARTON BOTTOM SEALING MACHINE CX6

SKU: CX6

Semi-automatic Carton Bottom Sealing Machine CX6

- Semi-automatic Carton Bottom Sealing Machine CX6 is equipped with a top-side free roller and bottom belt, driving can transport open-top cartons and keeps sealing on the bottom.
- Semi-automatic Carton Bottom Sealing Machine CX6 is suitable for various carton sizes for adhesive tape sealing, with a compact design, which can be used in many different working spaces.
- Optionally extensive working tables can integrate various packaging equipment working on a packing line.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W500 x H500 mm Min: L150XW150XH150mm
Tape Width	50 mm (2”) or 76 mm (3”)
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20 Cartons per minute
Dimensions	(Carton: L500mm, Power:60HZ)
Air Compressor	

Category: Carton Sealer CX Series

SEMI-AUTOMATIC CARTON SIDE SEALING MACHINE CX5

SKU: CX5

Semi-automatic Carton Side Sealing Machine CX5

- The Semi-automatic Carton Side Sealing Machine CX5 is equipped with top and bottom belt driving, it can transport side-open cartons and keeps sealing on both sides.
- The machine is suitable for various carton sizes for adhesive tape sealing, with a compact design, which can be used in many different working spaces.
- Optionally extensive working tables can integrate various packaging equipment working on a packing line.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Customize
Tape Width	50 mm (2″) or 76 mm (3″)
Working Table Height	570-770mm (Adjustable)
Sealing Capacity	Customize
Min. Package Size	
Dimensions	
Net Weight	

Category: Carton Sealer CX Series

SEMI-AUTOMATIC TOP AND SIDE DOUBLE BELTS DRIVING CARTON SEALING MACHINE CX3

SKU: CX3

Semi-automatic Top and Side Double Belts Driving Carton Sealing Machine CX3

- Semi-automatic Top and Side Double Belts Driving Carton Sealing Machine CX3 is equipped with top and side double-belts can transport both heavy and light cartons and keeps sealing on the center of cartons.
- Suitable for various carton sizes for adhesive tape sealing, with a compact design can be used in many different working spaces.
- Simplified operating devices can easily fit different shapes of cartons and seal two tapes on top and bottom at one time.
- Durable and stable driven belts can provide operators with working ease when proceeding continued sealing applications.
- Could be worked with other auto packaging equipment among the process such as auto strapping machinery with sensors.
- By using advanced peak type cutting blades can easily cut off adhesive tape not to jagged or tear to shred.
- Optional extensive working tables can integrate various packaging equipments working on a packing line

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W500 x H500 mm Min: L150XW170XH100mm
Tape Width	50 mm (2”) or 76 mm (3”)
Working Table Height	570-770mm (Adjustable)
Sealing Capacity	20 Cartons per minute (Carton: L500 mm, Power: 60 HZ)
Dimensions	L1023 X W900 X H1375 mm (without optional extensive working table)
Net Weight	165kg

Category: Carton Sealer CX Series

ECONOMIC TYPE SEMI-AUTOMATIC SIDE DOUBLE BELTS DRIVING CARTON SEALING MACHINE CX2

SKU: CX2

Economic Type Semi-automatic Side Double Belts Driving Carton Sealing Machine CX2

- Economic Type Semi-automatic Side Double Belts Driving Carton Sealing Machine CX2 is equipped with side double belts that can transport both heavy and light cartons and keep sealing on the center of cartons.
- Economic Type Semi-automatic Side Double Belts Driving Carton Sealing Machine CX2 is suitable for various carton sizes for adhesive tape sealing, with a compact design, which can be used in many different working spaces.
- Optional extensive working tables can integrate various packaging equipment working on a packing line.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W500 x H500 mm Min: L150XW135XH105mm(3") L150XW110XH105mm(2")
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	570-770mm (Adjustable)
Sealing Capacity	20 Cartons per minute (Carton: L500 mm, Power: 60 HZ)
Dimensions	L1023 X W900 X H1375 mm (without optional extensive working table)
Net Weight	140kg

Category: Carton Sealer CX Series

SEMI-AUTOMATIC TOP AND BOTTOM BELTS DRIVING CARTON SEALING MACHINE CX1

SKU: CX1

Semi-automatic Top and Bottom Belts Driving Carton Sealing Machine CX1

- Semi-automatic Top and Bottom Belts Driving Carton Sealing Machine is equipped with Top & Bottom Belts can transport light cartons and keep sealing on the center of cartons.
- Suitable for various carton sizes for adhesive tape sealing, with a compact design can be used in many different working spaces.
- Optionally extensive working tables can integrate various packaging equipment working on a packing line.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W500 x H500 mm Min: L150 x W170 x H110 mm
Tape Width	50 mm (2”) or 76 mm (3”)
Working Table Height	570-770 mm (Adjustable)
Sealing Capacity	20 Cartons per minute (Carton: L500 mm, Power: 60 HZ)
Min. Package Size	60mm
Dimensions	
Net Weight	

Category: Carton Sealer CX Series

INDEX

E

Economic Type Semi-automatic Side Double Belts Driving Carton Sealing Machine CX2 17

F

Fully Automatic Carton Edge Sealing Machine CXFEB 3
Fully Automatic Carton Edge Sealing Machine CXFEB(CE) 1
Fully Automatic Flap Folding and Carton Sealing Machine CXF2A 6
Fully Automatic Flap Folding Carton Sealing Machine CXF3A 2
Fully Automatic Side Double Belts Driving Carton Sealing Machine CXF2 11
Fully Automatic Side Double Belts Driving Carton Sealing Machine CXF2CE 10
Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine With CE Safety Switch & Covers CXF3CE 8
Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine CXF3 9

S

Semi-automatic Carton Bottom Sealing Machine CX6 13
Semi-automatic Carton Edge Sealing Machine CXEB (Standard Type) 4
Semi-Automatic Carton Sealing Machine with Cutting Device CX2M 12
Semi-automatic Carton Side Sealing Machine CX5 14
Semi-automatic Flap Folding and Carton Sealing Machine CXA2 7
Semi-automatic Flap Folding and Carton Sealing Machine CXA3 5
Semi-automatic Top and Bottom Belts Driving Carton Sealing Machine CX1 18
Semi-automatic Top and Side Double Belts Driving Carton Sealing Machine CX3 15