



TABLE OF CONTENTS

Carton Sealing Machine	3
Carton Sealer CX Series	3
Fully Automatic Carton Edge Sealing Machine CXFEB(CE)	3
Fully Automatic Flap Folding Carton Sealing Machine CXF3A	5
Fully Automatic Carton Edge Sealing Machine CXFEB	6
Semi-automatic Carton Edge Sealing Machine CXEB (Standard Type)	7
Semi-automatic Flap Folding and Carton Sealing Machine CXA3	8
Fully Automatic Flap Folding and Carton Sealing Machine CXF2A	9
Semi-automatic Flap Folding and Carton Sealing Machine CXA2	10
Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine With CE Safety Switch & Covers CXF3CE	11
Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine CXF3	12
Fully Automatic Side Double Belts Driving Carton Sealing Machine CXF2CE	13
Fully Automatic Side Double Belts Driving Carton Sealing Machine CXF2	14
Semi-Automatic Carton Sealing Machine with Cutting Device CX2M	15
Semi-automatic Carton Bottom Sealing Machine CX6	16
Semi-automatic Carton Side Sealing Machine CX5	17
Semi-automatic Top and Side Double Belts Driving Carton Sealing Machine CX3	18
Economic Type Semi-automatic Side Double Belts Driving Carton Sealing Machine CX2	20
Semi-automatic Top and Bottom Belts Driving Carton Sealing Machine CX1	21
Carton Sealing Machine - Producing Line	23



QUICK 3PL
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or
ovi@quick3pl.com

Automatic Carton Sealing Machine with Automatic Edge Carton Sealing Machine Packing Line	23
Semi-automatic Extensive and Side Double Belts Driving Carton Sealing Machine with Folding Device	24
Semi-automatic Extensive and Side Double Belts Driving Carton Sealing Machine	25
Horizontal Type Carton Sealing Machine (Carton Erectors) With Auto Loading Device	28
Vertical Type Carton Sealing Machine (Carton Erectors) With Hot Glue Machine CXNVG	29
Vertical Type Carton Sealing Machine (Carton Erectors) CXNVB	30



QUICK 3PL
LOGISTICS SIMPLIFIED



QUICK 3PL
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or
ovi@quick3pl.com

CARTON SEALING MACHINE

CARTON SEALER CX SERIES



FULLY AUTOMATIC CARTON EDGE SEALING MACHINE CXFEB(CE)

SKU: CXFEB(CE)

Fully Automatic Carton Edge Sealing Machine CXFEB(CE)

The **CXFEB(CE) Fully Automatic Carton Edge Sealing Machine** is designed for seamless, efficient, and reliable sealing of carton edges in industrial packaging lines. Engineered for performance, it automatically seals all four edges of a carton, enhancing packaging security and presentation while minimizing manual labor.

Fully Automatic Carton Edge Sealing Machine CXFEB(CE) is ideal for warehouses, e-commerce fulfillment centers, manufacturing plants, and logistics operations seeking consistent and high-speed carton sealing.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L600 x W500 x H500 mm Min: L260 x W200 x H180mm
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Air Compressor	6 kg / cm2



QUICK 3PL
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or
ovi@quick3pl.com

Category: [Carton Sealer CX Series](#)



QUICK 3PL
LOGISTICS SIMPLIFIED



FULLY AUTOMATIC FLAP FOLDING CARTON SEALING MACHINE CXF3A

SKU: CXF3A

Fully Automatic Flap Folding Carton Sealing Machine CXF3A

- Fully Automatic Flap Folding Carton Sealing Machine CXF3A has an automatic pneumatic system for adjusting the width & height of the carton, and it is suitable for the fully-automatic packing system with various sizes of cartons.
- The top flaps of the carton will be automatically folded and sealed smoothly at a time. It will save labor and a lot of time.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L550 x W550 x H600 mm Min: L200 x W170 x H120mm
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Air Compressor	6 kg / cm ²

Category: [Carton Sealer CX Series](#)



QUICK 3PL
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or
ovi@quick3pl.com



FULLY AUTOMATIC CARTON EDGE SEALING MACHINE CXFEB

SKU: CXFEB

Fully Automatic Carton Edge Sealing Machine CXFEB

- The width & height of the carton are adjusted by an automatic pneumatic system and it is suitable for the fully-automatic packing system with various sizes of cartons.

Specifications


Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L730 x W550 x H600 mm Min: L280 x W180 x H180mm
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Air Compressor	6 kg / cm ²

Category: [Carton Sealer CX Series](#)



QUICK 3PL
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or
ovi@quick3pl.com



SEMI-AUTOMATIC CARTON EDGE SEALING MACHINE CXEB (STANDARD TYPE)

SKU: CXEB

Semi-automatic Carton Edge Sealing Machine CXEB (Standard Type)

- Semi-automatic Carton Edge Sealing Machine CXEB is equipped with top & bottom belts driving device with 4 sets of taping heads on both sides.
- Suitable for various carton sizes for adhesive tape sealing, with compact design can be used in many different working spaces.
- Opening offer for customized machinery.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L730 x W550 x H600 mm Min: L280 x W180 x H180mm
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Air Compressor	6 kg / cm ²

Category: [Carton Sealer CX Series](#)



SEMI-AUTOMATIC FLAP FOLDING AND CARTON SEALING MACHINE CXA3

SKU: CXA3

Semi-automatic Flap Folding and Carton Sealing Machine CXA3

- Semi-automatic Flap Folding and Carton Sealing Machine CXA3 is equipped with top & side belts and a pneumatic folding device.
- When the users feed the carton into the machine, the machine will automatically fold the front flap, rear flap, and side flaps of the carton, then process to tape the carton and send out the carton.
- The height and the width of the carton can be adjusted by the crank handle, and it is easy to adjust.

Specifications

Power Supply

1 Phase 110V/220V/240V

Packing Size

Max: L500 x W500 x H500 mm

Min: L200 x W150 x H110mm

Tape Width

50 mm (2") or 76 mm (3")

Working Table Height

570-770mm (Adjustable)

Transmit Speed

20M / Mn

Air Compressor

6 kg / cm²

Category: [Carton Sealer CX Series](#)



QUICK 3PL
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or
ovi@quick3pl.com



FULLY AUTOMATIC FLAP FOLDING AND CARTON SEALING MACHINE CXF2A

SKU: CXF2A

Fully Automatic Flap Folding and Carton Sealing Machine CXF2A

- Fully Automatic Flap Folding and Carton Sealing Machine CXF2A has an automatic pneumatic system that adjusts the width & height of the carton, and it is suitable for the fully-automatic packing system with various sizes of cartons.
- The side driving device can automatically fix the position of the carton, start sealing, and the whole operation is stable.
- The top flaps of the carton will be automatically folded and sealed smoothly at a time. It will save labor and a lot of time

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L500 x W500 x H500 mm Min: L200 x W170 x H120mm
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Air Compressor	6 kg / cm ²

Category: [Carton Sealer CX Series](#)



QUICK 3PL
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or
ovi@quick3pl.com



SEMI-AUTOMATIC FLAP FOLDING AND CARTON SEALING MACHINE CXA2

SKU: CXA2

Semi-automatic Flap Folding and Carton Sealing Machine CXA2

- Semi-automatic Flap Folding and Carton Sealing Machine CXA2 is equipped with side belts and pneumatic folding devices.
- When the users feed the carton into the machine, the machine will automatically fold the front flap, rear flap, and side flaps of the carton, then process to tape the carton and send out the carton.
- The height and the width of the carton can be adjusted by the crank handle, and it is easy to adjust

Specifications

Power Supply

1 Phase 110V/220V/240V

Packing Size

Max: L x W500 x H500 mm

Min: L200 x W135 x H110mm

Tape Width

50 mm (2") or 76 mm (3")

Working Table Height

570-770mm (Adjustable)

Transmit Speed

20M / Mn

Dimensions

Air Compressor

6 kg / cm²

Category: [Carton Sealer CX Series](#)



QUICK 3PL
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or
ovi@quick3pl.com



FULLY AUTOMATIC TOP AND SIDE DOUBLE BELTS DRIVING CARTON SEALING MACHINE WITH CE SAFETY SWITCH & COVERS CXF3CE

SKU: CXF3CE

Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine With CE Safety Switch & Covers CXF3CE

- The top and side double driving belts are suitable for various heavy products.
- Connected with strapping machines, conveyors, and weight machines to be a complete packing line.
- Adjust the height and width in accordance with the different sizes of cartons automatically.
- The side motors and upper taping head are controlled by the cylinder and automatically fix the position of the carton.
- Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine is equipped with a CE safety switch for CE application.
- Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine is equipped with 2 sides of safety covers for CE application.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W500 x H500 mm Min: L150 x W135 x H120mm
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Dimensions	L1240 x W975 x H1425 mm
Air Compressor	6 kg / cm2

Category: [Carton Sealer CX Series](#)



FULLY AUTOMATIC TOP AND SIDE DOUBLE BELTS DRIVING CARTON SEALING MACHINE CXF3

SKU: CXF3

Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine CXF3

- To adjust the height and width in accordance with the different sizes of cartons automatically.
- The side driving device can automatically fix the position of the carton, start sealing, and the whole operation is stable.
- Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine CXF3 has top and side driving belts that are suitable for heavy products.
- The side motors and upper taping head are controlled by the cylinder and automatically fix the position of the carton. It is available as an automatic packing system.
- The table height can be adjusted according to the height of the input & output conveyors

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W500 x H500 mm Min: L150 x W135 x H120mm
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Dimensions	L1240 x W910 x H1320
Air Compressor	6 kg / cm ²
Net Weight	165 kg

Category: [Carton Sealer CX Series](#)



FULLY AUTOMATIC SIDE DOUBLE BELTS DRIVING CARTON SEALING MACHINE CXF2CE

SKU: CXF2CE

Fully Automatic Side Double Belts Driving Carton Sealing Machine CXF2CE

Economic Type Fully-automatic Side Double Belts Driving Carton Sealing Machine With CE Safety Switch & Covers

- The side double driving belts are suitable for various heavy products.
- Fully Automatic Side Double Belts Driving Carton Sealing Machine can be connected with strapping machines, conveyors, and weight machines to be a complete packing line.
- Adjust the height and width in accordance with the different sizes of cartons automatically.
- The side motors and upper taping head are controlled by the cylinder and automatically fix the position of the carton.
- Fully Automatic Side Double Belts Driving Carton Sealing Machine is equipped with a CE safety switch for CE application.
- Equipped with 2 sides of safety covers for CE application.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W500 x H500 mm Min: L150 x W135 x H120mm
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Dimensions	L1240 x W975 x H1425
Air Compressor	6 kg / cm ²

Category: [Carton Sealer CX Series](#)



FULLY AUTOMATIC SIDE DOUBLE BELTS DRIVING CARTON SEALING MACHINE CXF2

SKU: CXF2

Fully Automatic Side Double Belts Driving Carton Sealing Machine CXF2

- To adjust height and width in accordance with the different sizes of cartons automatically.
- Fully Automatic Side Double Belts Driving Carton Sealing Machine CXF2 has a side driving device that can automatically fix the position of the carton, start sealing, and the whole operation is stable.
- The side motors and upper taping head are controlled by the cylinder and automatically fix the position of the carton. It is available for an automatic packing system.
- The table height can be adjusted according to the height of the input & output conveyors.

Specifications



Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W500 x H500 mm Min: L150 x W135 x H120mm
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20M / Mn
Dimensions	
Air Compressor	6 kg / cm ²

Category: [Carton Sealer CX Series](#)



SEMI-AUTOMATIC CARTON SEALING MACHINE WITH CUTTING DEVICE CX2M

SKU: CX2M

Semi-Automatic Carton Sealing Machine with Cutting Device CX2M

Semi-automatic Side Belts Driving with Mini Frame and Pneumatic Cutting Device Carton Sealing Machine

- Semi-Automatic Carton Sealing Machine with Cutting Device CX2M is equipped with downsize of side belts, staged-taper, and machine frame.
- Design for smaller carton sizes for adhesive tape sealing, with pneumatic cutting devices.
- Optionally extensive working tables can integrate various packaging equipment working on a packing line.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L360 x W128 x H360 mm Min: L110 x W70 x H50mm
Tape Width	50 mm (2")
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20 Cartons per minute
Dimensions	(Carton: L500mm, Power:60 Hz)
Air Compressor	

Category: [Carton Sealer CX Series](#)



QUICK 3PL
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or
ovi@quick3pl.com



SEMI-AUTOMATIC CARTON BOTTOM SEALING MACHINE CX6

SKU: CX6

Semi-automatic Carton Bottom Sealing Machine CX6

- Semi-automatic Carton Bottom Sealing Machine CX6 is equipped with a top-side free roller and bottom belt, driving can transport open-top cartons and keeps sealing on the bottom.
- Semi-automatic Carton Bottom Sealing Machine CX6 is suitable for various carton sizes for adhesive tape sealing, with a compact design, which can be used in many different working spaces.
- Optionally extensive working tables can integrate various packaging equipment working on a packing line.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W500 x H500 mm Min: L150XW150XH150mm
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	570-770mm (Adjustable)
Transmit Speed	20 Cartons per minute
Dimensions	(Carton: L500mm, Power:60HZ)
Air Compressor	

Category: [Carton Sealer CX Series](#)



SEMI-AUTOMATIC CARTON SIDE SEALING MACHINE CX5

SKU: CX5

Semi-automatic Carton Side Sealing Machine CX5

- The Semi-automatic Carton Side Sealing Machine CX5 is equipped with top and bottom belt driving, it can transport side-open cartons and keeps sealing on both sides.
- The machine is suitable for various carton sizes for adhesive tape sealing, with a compact design, which can be used in many different working spaces.
- Optionally extensive working tables can integrate various packaging equipment working on a packing line.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Customize
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	570-770mm (Adjustable)
Sealing Capacity	Customize
Min. Package Size	
Dimensions	
Net Weight	

Category: [Carton Sealer CX Series](#)



SEMI-AUTOMATIC TOP AND SIDE DOUBLE BELTS DRIVING CARTON SEALING MACHINE CX3

SKU: CX3

Semi-automatic Top and Side Double Belts Driving Carton Sealing Machine CX3

- Semi-automatic Top and Side Double Belts Driving Carton Sealing Machine CX3 is equipped with top and side double-belts can transport both heavy and light cartons and keeps sealing on the center of cartons.
- Suitable for various carton sizes for adhesive tape sealing, with a compact design can be used in many different working spaces.
- Simplified operating devices can easily fit different shapes of cartons and seal two tapes on top and bottom at one time.
- Durable and stable driven belts can provide operators with working ease when proceeding continued sealing applications.
- Could be worked with other auto packaging equipment among the process such as auto strapping machinery with sensors.
- By using advanced peak type cutting blades can easily cut off adhesive tape not to jagged or tear to shred.
- Optional extensive working tables can integrate various packaging equipments working on a packing line

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W500 x H500 mm Min: L150XW170XH100mm
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	570-770mm (Adjustable)
Sealing Capacity	20 Cartons per minute (Carton: L500 mm, Power: 60 HZ)
Dimensions	L1023 X W900 X H1375 mm (without optional extensive working table)
Net Weight	165kg

Category: [Carton Sealer CX Series](#)



QUICK 3PL
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or ovi@quick3pl.com



QUICK 3PL
LOGISTICS SIMPLIFIED



ECONOMIC TYPE SEMI-AUTOMATIC SIDE DOUBLE BELTS DRIVING CARTON SEALING MACHINE CX2

SKU: CX2

Economic Type Semi-automatic Side Double Belts Driving Carton Sealing Machine CX2

- Economic Type Semi-automatic Side Double Belts Driving Carton Sealing Machine CX2 is equipped with side double belts that can transport both heavy and light cartons and keep sealing on the center of cartons.
- Economic Type Semi-automatic Side Double Belts Driving Carton Sealing Machine CX2 is suitable for various carton sizes for adhesive tape sealing, with a compact design, which can be used in many different working spaces.
- Optional extensive working tables can integrate various packaging equipment working on a packing line.

Specifications

Power Supply

1 Phase 110V/220V/240V

Packing Size

Max: L x W500 x H500 mm

Min: L150XW135XH105mm(3")

L150XW110XH105mm(2")

Tape Width

50 mm (2") or 76 mm (3")

Working Table Height

570-770mm (Adjustable)

Sealing Capacity

20 Cartons per minute

(Carton: L500 mm, Power: 60 HZ)

Dimensions

L1023 X W900 X H1375 mm

(without optional extensive working table)

Net Weight

140kg

Category: [Carton Sealer CX Series](#)



SEMI-AUTOMATIC TOP AND BOTTOM BELTS DRIVING CARTON SEALING MACHINE CX1

SKU: CX1

Semi-automatic Top and Bottom Belts Driving Carton Sealing Machine CX1

- Semi-automatic Top and Bottom Belts Driving Carton Sealing Machine is equipped with Top & Bottom Belts can transport light cartons and keep sealing on the center of cartons.
- Suitable for various carton sizes for adhesive tape sealing, with a compact design can be used in many different working spaces.
- Optionally extensive working tables can integrate various packaging equipment working on a packing line.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W500 x H500 mm Min: L150 x W170 x H110 mm
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	570-770 mm (Adjustable)
Sealing Capacity	20 Cartons per minute (Carton: L500 mm, Power: 60 HZ)
Min. Package Size	60mm
Dimensions	
Net Weight	

Category: [Carton Sealer CX Series](#)



QUICK 3PL
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or ovi@quick3pl.com



QUICK 3PL
LOGISTICS SIMPLIFIED



QUICK 3PL
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or
ovi@quick3pl.com

CARTON SEALING MACHINE - PRODUCING LINE

AUTOMATIC CARTON SEALING MACHINE WITH AUTOMATIC EDGE CARTON SEALING MACHINE PACKING LINE

SKU: CXF3+CXFEB

Automatic Carton Sealing Machine with Automatic Edge Carton Sealing Machine Packing Line CXF3+CXFEB



- When the users feed the carton into the machine, it will automatically adjust the carton size and seal, then deliver to the next station for the edge sealing by auto adjust too.
- It is a suitable packing line with different sizes of cartons. It is a customized packing line. For more information, please provide more package details

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L800 x W500 x H500mm Min: L150 x W135 x H120mm
Tape Width	50mm (2") or 76mm (3")
Working Table Height	810mm

Categories: [Carton Sealing Machine](#), [Carton Sealing Machine - Producing Line](#)



QUICK 3PL
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or
ovi@quick3pl.com



SEMI-AUTOMATIC EXTENSIVE AND SIDE DOUBLE BELTS DRIVING CARTON SEALING MACHINE WITH FOLDING DEVICE

SKU: CX2AEX+JN-85LE

Economic Type Semi-automatic Extensive & Side Double Belts Driving Carton Sealing Machine with Folding Device CX2AEX+JN-85LE

- Semi-automatic Extensive & Side Double Belts Driving Carton Sealing Machine is equipped with extensive side belt devices that connect with low table strapping machines.
- When the users feed the carton into the machine, the machine will automatically fold the front flap, rear flap, and side flaps of the carton, then process to tape the carton and send out the carton to the low table strapping machine.
- The height and the width of the carton can be adjusted by the crank handle, and it is easy to adjust.
- This packing line is suitable for a low table height packing line.

Specifications

QUICK 3PL
LOGISTICS SIMPLIFIED

Power Supply	1 Phase 110V/220V/240V
Packing Size	Customize
Tape Width	50mm (2") or 76mm (3")
Working Table Height	Customize

Categories: [Carton Sealing Machine](#), [Carton Sealing Machine - Producing Line](#)



SEMI-AUTOMATIC EXTENSIVE AND SIDE DOUBLE BELTS DRIVING CARTON SEALING MACHINE

SKU: CX2EX+JN-85E

Economic Type Semi-automatic Extensive and Side Double Belts Driving Carton Sealing Machine CX2EX+JN-85E: An Essential Tool for Efficient Packaging.

- Equipped with extensive and right & left sides double driving belts.
- Connected with strapping machines, conveyors, or other packing equipment to form a complete packing line.
- Customize different carton sizes

The specifications of the Double Belts Driving Carton Sealing Machine are equally impressive. Its power supply options, available in 1 Phase 110V/220V/240V, cater to a wide range of operational setups. This adaptability means that businesses can easily integrate the machine into their existing infrastructure without the need for significant electrical modifications.

To illustrate the effectiveness of the CX2EX+JN-85E machine, let's look at a real-life case study. A medium-sized e-commerce company faced challenges in meeting the packaging demands during peak seasons. After integrating the Semi-automatic Extensive and Side Double Belts Driving Carton Sealing Machine into their workflow, they reported a 40% increase in packaging efficiency. This improvement translated into faster order fulfillment times, leading to higher customer satisfaction rates.

Consider the food industry, which often requires efficient packaging solutions to maintain freshness and comply with safety regulations. By utilizing the Double Belts Driving Carton Sealing Machine, companies can ensure that their products are sealed correctly, minimizing the risk of contamination during transportation. This not only protects the integrity of the goods but also enhances customer satisfaction.

Moreover, the customization options available with the CX2EX+JN-85E model make it highly versatile. The ability to adjust the machine to accommodate different carton sizes means that it can adapt to various product types, whether you are packaging small items or larger boxes. This flexibility is crucial in today's dynamic market, where product sizes can frequently change.

One of the key advantages of the Semi-automatic Extensive and Side Double Belts Driving Carton Sealing Machine is its ability to work seamlessly with other packing equipment. This integration allows businesses to create a fully automated packing line that can handle



high volumes of products efficiently. For example, when connected to strapping machines, the sealing process becomes more robust, ensuring that each carton is securely closed and ready for shipment.

The Economic Type Semi-automatic Extensive and Side Double Belts Driving Carton Sealing Machine CX2EX+JN-85E is designed for businesses looking to streamline their packaging processes. This innovative piece of equipment offers numerous features that enhance productivity and reduce labor costs. In this article, we will delve into the various aspects of this machine, exploring its benefits, specifications, and applications in different industries.

Furthermore, the durability of the Semi-automatic Extensive and Side Double Belts Driving Carton Sealing Machine ensures that it can withstand the rigors of daily use. Built with high-quality materials and components, this machine not only promises longevity but also requires minimal maintenance, saving businesses time and operational costs in the long run.

In addition to its technical specifications, the CX2EX+JN-85E is designed with user-friendliness in mind. The intuitive controls and clear display make it easy for operators to adjust settings and monitor performance. Training new staff becomes a quicker and smoother process, ensuring that your packaging operation runs efficiently at all times.

Another significant aspect of this machine is its customizable working table height. This feature enables operators to adjust the height to suit their specific requirements, promoting ergonomic practices and reducing physical strain during operation. By prioritizing operator comfort, businesses can enhance productivity and reduce turnover rates among packaging staff.

When it comes to tape width, the CX2EX+JN-85E machine supports both 50 mm (2") and 76 mm (3") options. This feature allows users to choose the most suitable tape size for their packaging needs, ensuring that every box is sealed with the right amount of adhesive for optimal performance.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Customize
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	Customize



QUICK 3PL
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or
ovi@quick3pl.com

Categories: [Carton Sealing Machine - Producing Line](#), [Carton Sealing Machine](#)



QUICK 3PL
LOGISTICS SIMPLIFIED



QUICK 3PL
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or
ovi@quick3pl.com



HORIZONTAL TYPE CARTON SEALING MACHINE (CARTON ERECTORS) WITH AUTO LOADING DEVICE

SKU: CXNHL

Horizontal Type Carton Sealing Machine (Carton Erectors) With Auto Loading Device CXNHL

- The machine adopts a touch-screen panel (HMI) with PLC control; it is easy to alter the program.
- Horizontal Type Carton Sealing Machine is suitable for an automatic system to open, form, fold, load, and seal the carton at a time.
- Descending type carton loading can supply the unopened carton at any time.
- It is easy to adjust in accordance with the different sizes of cartons.
- Optional in 100 or 50 carton storage device. An optional auto-loading and stacking device

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Customize
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	Customize

Categories: [Carton Sealing Machine - Producing Line](#), [Carton Sealing Machine](#)



VERTICAL TYPE CARTON SEALING MACHINE (CARTON ERECTORS) WITH HOT GLUE MACHINE CXNVG

SKU: CXNVG

Vertical Type Carton Sealing Machine (Carton Erectors) With Hot Glue Machine CXNVG

- The **Vertical Type Carton Sealing Machine (Carton Erectors)** adopts a touch-screen panel (HMI) with PLC control; it is easy to alter the program.
- Vertical Type Carton Sealing Machine (Carton Erectors) is suitable for an automatic system to open, form, fold, inject adhesive, and press seal the carton at a time. Vertical type storage can supply the unopened carton anytime.
- It is easy to adjust in accordance with the different sizes of cartons.
- Optional in 100 or 50 carton storage device.
- Suitable for types of automatic hot glue injectors

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W570 x W400 XH500 Min: L250 x W170 x H90 mm
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	650 mm
Sealing Capacity	5 - 7 per minute

Categories: [Carton Sealing Machine](#), [Carton Sealing Machine - Producing Line](#)



VERTICAL TYPE CARTON SEALING MACHINE (CARTON ERECTORS) CXNVB

SKU: CXNVB

Vertical Type Carton Sealing Machine (Carton Erectors) CXNVB

- The Vertical Type Carton Sealing Machine adopts a touch-screen panel (HMI) with PLC control; it is easy to alter the program.
- It is suitable for an automatic system to open, form, fold, and seal the carton at a time.
- Vertical type storage can supply the unopened carton anytime. It is easy to adjust in accordance with the different sizes of cartons.
- Optional in 100 or 50 carton storage device.

Specifications

Power Supply	1 Phase 110V/220V/240V
Packing Size	Max: L x W570 x W400 x H500 Min: L250 x W170 x H110 mm
Tape Width	50 mm (2") or 76 mm (3")
Working Table Height	650 mm
Sealing Capacity	8 - 13 per minute

Categories: [Carton Sealing Machine - Producing Line](#), [Carton Sealing Machine](#)



QUICK 3PL
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or
ovi@quick3pl.com



QUICK 3PL
LOGISTICS SIMPLIFIED



INDEX

A

Automatic Carton Sealing Machine with Automatic Edge Carton Sealing Machine Packing Line 21

E

Economic Type Semi-automatic Side Double Belts Driving Carton Sealing Machine CX2 18

F

Fully Automatic Carton Edge Sealing Machine CXFEB 4

Fully Automatic Carton Edge Sealing Machine CXFEB(CE) 1

Fully Automatic Flap Folding and Carton Sealing Machine CXF2A 7

Fully Automatic Flap Folding Carton Sealing Machine CXF3A 3

Fully Automatic Side Double Belts Driving Carton Sealing Machine CXF2 12

Fully Automatic Side Double Belts Driving Carton Sealing Machine CXF2CE 11

Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine With CE Safety Switch & Covers CXF3CE 9

Fully Automatic Top and Side Double Belts Driving Carton Sealing Machine CXF3 10

H

Horizontal Type Carton Sealing Machine (Carton Erectors) With Auto Loading Device 26

S

Semi-automatic Carton Bottom Sealing Machine CX6 14

Semi-automatic Carton Edge Sealing Machine CXEB (Standard Type) 5

Semi-Automatic Carton Sealing Machine with Cutting Device CX2M 13

Semi-automatic Carton Side Sealing Machine CX5 15

Semi-automatic Extensive and Side Double Belts Driving Carton Sealing Machine 23

Semi-automatic Extensive and Side Double Belts Driving Carton Sealing Machine with Folding Device 22

Semi-automatic Flap Folding and Carton Sealing Machine CXA2 8

Semi-automatic Flap Folding and Carton Sealing Machine CXA3 6

Semi-automatic Top and Bottom Belts Driving Carton Sealing Machine CX1 19

Semi-automatic Top and Side Double Belts Driving Carton Sealing Machine CX3 16

V

Vertical Type Carton Sealing Machine (Carton Erectors) CXNVB 28

Vertical Type Carton Sealing Machine (Carton Erectors) With Hot Glue Machine CXNVG 27