

## TABLE OF CONTENTS

<b>Sifter</b> .....	2
Vibro Separator and Vibro Filter LK Series .....	2



# SIFTER



## VIBRO SEPARATOR AND VIBRO FILTER LK SERIES

**SKU:** LK Series

**Vibro Separator and Vibro Filter LK Series**

### Features

- **Material Properties:** Oily, Non-Oily
- **Fineness:** 3mm ~ 400mesh
- **Capacity:** 30kg ~ 5000kg
- **Production Methods:** Single Machine

### Introduction

By shaking force to filter the request particle size, it can process the most 4 sizes of particles with 4 layers of screen.

Quick replacement of the sieving screen.

### LK Vibro Separator and Vibro Filter LK Series

- It's suitable for any powder, granular, and liquid.
- Easy operation and powder won't fly out.
- The screen could be changed speedily.

MODEL	MOTOR(HP)	EFFECTIVE DIA. OF SIEVE(MM)	DIMENSION (L*W*H MM)	LAYER
LK-450(A)可拆式網框	1/2	Ø380	450*450*650(無推車高度) 450*450*960(有推車高度)	1
LK-450(C)固定式網框	1/2	Ø380	450*450*650(無推車高度) 450*450*960(有推車高度)	1
LK-500(1S)	3/4	Ø440	500*500*620	1
LK-500(2S)	3/4	Ø440	500*500*720	2
LK-500(3S)	3/4	Ø440	500*500*820	3
LK-600(1S)	3/4	Ø540	600*600*710	1
LK-600(2S)	3/4	Ø540	600*600*880	2
LK-600(3S)	3/4	Ø540	600*600*1010	3
LK-800(1S)	1	Ø740	900*900*710	1
LK-800(2S)	1	Ø740	920*920*930	2
LK-800(3S)	1	Ø740	920*920*1080	3
LK-1000(1S)	2	Ø930	1180*1180*710	1
LK-1000(2S)	2	Ø930	1180*1180*930	2
LK-1000(3S)	2	Ø930	1180*1180*1080	3
LK-1200(1S)	2 1/2	Ø1130	1380*1380*980	1
LK-1200(2S)	2 1/2	Ø1130	1380*1380*1140	2
LK-1200(3S)	2 1/2	Ø1130	1380*1380*1380	3
LK-1500(1S)	3	Ø1430	1680*1680*1080	1
LK-1500(2S)	3	Ø1430	1680*1680*1260	2
LK-1500(3S)	3	Ø1430	1680*1680*1420	3

Category: [Sifter](#)

We are here to help you. Contact us at +1 (216) 533-2353 or  
ovi@quick3pl.com

**QUICK 3PL**  
LOGISTICS SIMPLIFIED





# INDEX

## V

Vibro Separator and Vibro Filter LK Series 1

