



TABLE OF CONTENTS

Sifter	2
Vibro Separator and Vibro Filter LK Series	2





SIFTER



VIBRO SEPARATOR AND VIBRO FILTER LK SERIES

SKU: LK Series

Vibro Separator and Vibro Filter LK Series

Features

- **Material Properties:** Oily, Non-Oily
- **Fineness:** 3mm ~ 400mesh
- **Capacity:** 30kg ~ 5000kg
- **Production Methods:** Single Machine

Introduction

By shaking force to filter the request particle size, it can process the most 4 sizes of particles with 4 layers of screen.

Quick replacement of the sieving screen.

LK Vibro Separator and Vibro Filter LK Series

- It's suitable for any powder, granular, and liquid.
- Easy operation and powder won't fly out.
- The screen could be changed speedily.



QUICK 3PL

LOGISTICS SIMPLIFIED

MODEL	MOTOR(HP)	EFFECTIVE DIA. OF SIEVE(MM)	DIMENSION (L*W*H MM)	LAYER
LK-450(A)可拆式磨粉	1/2	Ø380	450*450*665(無標準高度) 450*450*960(有標準高度)	1
LK-450(C)固定式磨粉	1/2	Ø380	450*450*665(無標準高度) 450*450*960(有標準高度)	1
LK-500(1S)	3/4	Ø440	500*500*620	1
LK-500(2S)	3/4	Ø440	500*500*720	2
LK-500(3S)	3/4	Ø440	500*500*820	3
LK-600(1S)	3/4	Ø540	600*600*710	1
LK-600(2S)	3/4	Ø540	600*600*880	2
LK-600(3S)	3/4	Ø540	600*600*1010	3
LK-800(1S)	1	Ø740	900*900*710	1
LK-800(2S)	1	Ø740	920*920*930	2
LK-800(3S)	1	Ø740	920*920*1080	3
LK-1000(1S)	2	Ø930	1180*1180*710	1
LK-1000(2S)	2	Ø930	1180*1180*930	2
LK-1000(3S)	2	Ø930	1180*1180*1080	3
LK-1200(1S)	2 1/2	Ø1130	1380*1380*980	1
LK-1200(2S)	2 1/2	Ø1130	1380*1380*1140	2
LK-1200(3S)	2 1/2	Ø1130	1380*1380*1380	3
LK-1500(1S)	3	Ø1430	1680*1680*1080	1
LK-1500(2S)	3	Ø1430	1680*1680*1260	2
LK-1500(3S)	3	Ø1430	1680*1680*1420	3

Category: [Sifter](#)

QUICK 3PL
LOGISTICS SIMPLIFIED



QUICK 3PL

LOGISTICS SIMPLIFIED



QUICK 3PL

LOGISTICS SIMPLIFIED



INDEX

V

Vibro Separator and Vibro Filter LK Series 1

