



**QUICK 3PL**  
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or  
ovi@quick3pl.com

## TABLE OF CONTENTS

|                                                             |          |
|-------------------------------------------------------------|----------|
| <b>Semi-Automatic Strapping Machine JN-740-Series .....</b> | <b>2</b> |
| Semi-Automatic Strapping Machine JN- 740DH .....            | 2        |
| Semi-Automatic Strapping Machine JN- 740 .....              | 4        |
| Semi-Automatic Strapping Machine JN- 700 .....              | 6        |
| Semi-Automatic Strapping Machine JN- 600 .....              | 7        |
| Semi-Automatic Strapping Machine JN- 600VS .....            | 9        |
| Semi-Automatic Strapping Machine JN- 7mini-B .....          | 11       |



**QUICK 3PL**  
LOGISTICS SIMPLIFIED



# SEMI-AUTOMATIC STRAPPING MACHINE JN-740-SERIES



## SEMI-AUTOMATIC STRAPPING MACHINE JN-740DH

**SKU:** JN- 740DH

### Semi-Automatic Strapping Machine JN- 740DH

- Front door opening design makes loading and unloading dispensers more convenient.
- Semi-Automatic Strapping Machine JN- 740DH provides instant heating in 20 seconds.
- Economical design of control switch, independent PCB controls feeding, tensioning and heating.
- External adjustable tension knob provides simple operation (optional).
- Energy saving mode activates within 15 seconds of non-use and allows for instant operation.
- Innovatory die-cast seal blade eliminates blade distortion, short circuiting and rapid aging that are common in many conventional strapping machines.
- Easier changeover of straps suitable for 6~15mm strap width through strap guide.

### Specifications

|                          |                                  |
|--------------------------|----------------------------------|
| <b>Strap Cycle Speed</b> | 1.5 Sec/Cycle                    |
| <b>Tension Strength</b>  | 15-60 kgs/Max.                   |
| <b>Table Height</b>      | 735mm                            |
| <b>Strap Width</b>       | 6- 15mm                          |
| <b>Sealing Method</b>    | Heat Sealing                     |
| <b>Min. Package Size</b> | 60mm                             |
| <b>Power Supply</b>      | 110/220v 50/60Hz single phase    |
| <b>Dimensions</b>        | 895W x 570D x 735H mm (Standard) |
| <b>Machine Weight</b>    | 95 kgs                           |



**QUICK 3PL**  
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or  
ovi@quick3pl.com

**Gross Weight**

120 kgs

**Categories:** [Semi-Automatic Strapping Machine JN-740-Series,](#)  
[Strapping Machine](#)



**QUICK 3PL**  
LOGISTICS SIMPLIFIED



## SEMI-AUTOMATIC STRAPPING MACHINE JN-740

**SKU:** JN- 740

### Semi-Automatic Strapping Machine JN- 740

- Semi-Automatic Strapping Machine JN- 740 provides instant heating in 20 seconds
- Economical design of control switch, independent PCB controls feeding, tensioning and heating.
- External adjustable tension knob provides simple operation (optional).
- Energy saving mode activates within 15 seconds of non-use and allows for instant operation.
- Innovatory die-cast seal blade eliminates blade distortion, short circuiting and rapid aging that are common in many conventional strapping machines.
- Easier changeover of straps suitable for 6~15mm strap width through strap guide.
- Stainless steel frame is available for strapping humid products.

### Specifications

|                          |                                  |
|--------------------------|----------------------------------|
| <b>Strap Cycle Speed</b> | 1.5 Sec/Cycle                    |
| <b>Tension Strength</b>  | 15-60 kgs/Max.                   |
| <b>Table Height</b>      | 735mm                            |
| <b>Strap Width</b>       | 6- 15mm                          |
| <b>Sealing Method</b>    | Heat Sealing                     |
| <b>Min. Package Size</b> | 60mm                             |
| <b>Power Supply</b>      | 110/220v 50/60Hz single phase    |
| <b>Dimensions</b>        | 895W x 570D x 735H mm (Standard) |
| <b>Machine Weight</b>    | 95 kgs                           |
| <b>Gross Weight</b>      | 120 kgs                          |

**Categories:** [Semi-Automatic Strapping Machine JN-740-Series](#),  
[Strapping Machine](#)



**QUICK 3PL**  
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or  
[ovi@quick3pl.com](mailto:ovi@quick3pl.com)



**QUICK 3PL**  
LOGISTICS SIMPLIFIED



## SEMI-AUTOMATIC STRAPPING MACHINE JN-700

**SKU:** JN- 700

### Semi-Automatic Strapping Machine JN- 700

- Semi-Automatic Strapping Machine JN- 700 provides instant heating in only 20 seconds.
- One-touch machine operation.
- Energy saving mode activates within 15 seconds of non-use and allows for instant operation.
- Simple adjustment of strap guides allows for the strap width setting of 6mm to 15mm. All electric parts are installed on independent circuit boards.
- All electric controls utilize DC 24V to ensure safety.

### Specifications

|                          |                                  |
|--------------------------|----------------------------------|
| <b>Strap Cycle Speed</b> | 1.5 Sec/Cycle                    |
| <b>Tension Strength</b>  | 65 kgs/Max.                      |
| <b>Table Height</b>      | 730mm                            |
| <b>Strap Width</b>       | 6- 15mm                          |
| <b>Sealing Method</b>    | Heat Sealing                     |
| <b>Min. Package Size</b> | 60mm                             |
| <b>Power Supply</b>      | 110/220v 50/60Hz single phase    |
| <b>Dimensions</b>        | 895W x 570D x 730H mm (Standard) |
| <b>Machine Weight</b>    | 100 kgs                          |
| <b>Gross Weight</b>      | 120 kgs                          |

**Categories:** [Semi-Automatic Strapping Machine JN-740-Series, Strapping Machine](#)



**QUICK 3PL**  
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or  
ovi@quick3pl.com



## SEMI-AUTOMATIC STRAPPING MACHINE JN-600

**SKU:** JN- 600

### Semi-Automatic Strapping Machine JN- 600

- Semi-Automatic Strapping Machine JN- 600 is designed for easy operation.
- Energy saving mode activates within 15 seconds of non-use and allows for instant operation.
- Lift type top cover allows convenient maintenance.
- External adjustable tension knob provides simple operation (optional).
- Easier changeover of straps suitable for 6~15mm strap width through strap guides.
- Internal power of DC 24V eliminates shock and prolongs machine life.
- Optional installation for different needs:
- Stainless steel frame is available for strapping humid

1. Exchange of brake wheels available.
2. 730~830mm height adjustable.

### Specifications

|                          |                                  |
|--------------------------|----------------------------------|
| <b>Strap Cycle Speed</b> | 1.5 Sec/Cycle                    |
| <b>Tension Strength</b>  | 65 kgs/Max.                      |
| <b>Table Height</b>      | 730mm                            |
| <b>Strap Width</b>       | 6- 15mm                          |
| <b>Sealing Method</b>    | Heat Sealing                     |
| <b>Min. Package Size</b> | 60mm                             |
| <b>Power Supply</b>      | 110/220v 50/60Hz single phase    |
| <b>Dimensions</b>        | 895W x 570D x 730H mm (Standard) |
| <b>Machine Weight</b>    | 100 kgs                          |
| <b>Gross Weight</b>      | 120 kgs                          |

**Categories:** [Semi-Automatic Strapping Machine JN-740-Series, Strapping Machine](#)



**QUICK 3PL**  
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or  
[ovi@quick3pl.com](mailto:ovi@quick3pl.com)



**QUICK 3PL**  
LOGISTICS SIMPLIFIED



## SEMI-AUTOMATIC STRAPPING MACHINE JN-600VS

**SKU:** JN- 600VS

### Semi-Automatic Strapping Machine JN- 600VS

- Internal power of DC 24V eliminates shock and prolongs machine life.
- Vertical side-seal head to minimize dust, water or any contamination in the machine.
- Semi-Automatic Strapping Machine JN- 600VS has an adjustable 20-step table height from 450~850mm, increases variety of package sizes and eliminates the need for tools.
- Use of a changeable circuit board provides easy replacement and the side-seal head ensures safe, easy maintenance.
- Optional installation for different needs:
  1. Use of stainless steel rollers to forward and reverse strap feed.
  2. Enlarged working table.
  3. Stainless steel castors instead of standard.
  4. Installation of internal lamp to keep cabinet dry.

### Specifications

|                          |                                    |
|--------------------------|------------------------------------|
| <b>Strap Cycle Speed</b> | 1.5 Sec/Cycle                      |
| <b>Tension Strength</b>  | 65 kgs                             |
| <b>Table Height</b>      | 450~850mm                          |
| <b>Strap Width</b>       | 6- 15mm                            |
| <b>Sealing Method</b>    | Heat Sealing                       |
| <b>Cylinder</b>          | Inner Diameter; 040                |
| <b>Power Supply</b>      | 110/220v 50/60Hz single phase      |
| <b>Dimensions</b>        | 675W x 1045D x 1720H mm (Standard) |
| <b>Machine Weight</b>    | 130 kgs                            |
| <b>Gross Weight</b>      | 192 kgs                            |

**Categories:** [Semi-Automatic Strapping Machine JN-740-Series, Strapping Machine](#)



**QUICK 3PL**  
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or  
[ovi@quick3pl.com](mailto:ovi@quick3pl.com)



**QUICK 3PL**  
LOGISTICS SIMPLIFIED



## SEMI-AUTOMATIC STRAPPING MACHINE JN-7MINI-B

**SKU:** JN- 7mini-B

### Semi-Automatic Strapping Machine JN- 7mini-B

- Semi-Automatic Strapping Machine JN- 7mini-B is suitable for light tension packaging in 6~15mm strap width.
- Energy saving mode activates within 15 seconds of non-use and allows for instant operation.
- Lift type top cover allows for convenient maintenance.
- Easy external adjustable tension knob from 15~45kgs

### Specifications

|                          |                                  |
|--------------------------|----------------------------------|
| <b>Strap Cycle Speed</b> | 1.5 Sec/Cycle                    |
| <b>Tension Strength</b>  | 15~45 kgs                        |
| <b>Table Height</b>      | 790mm                            |
| <b>Strap Width</b>       | 6.9,12, 15mm                     |
| <b>Sealing Method</b>    | Heat Sealed                      |
| <b>Cylinder</b>          | Inner Diameter; 040              |
| <b>Power Supply</b>      | 110/220v 50/60Hz single phase    |
| <b>Dimensions</b>        | 640W x 420D x 790H mm (Standard) |
| <b>Machine Weight</b>    | 72 kgs                           |
| <b>Gross Weight</b>      | 90- kgs in wood case             |

**Categories:** [Semi-Automatic Strapping Machine JN-740-Series](#),  
[Strapping Machine](#)



**QUICK 3PL**  
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or [ovi@quick3pl.com](mailto:ovi@quick3pl.com)



**QUICK 3PL**  
LOGISTICS SIMPLIFIED



**QUICK 3PL**  
LOGISTICS SIMPLIFIED

We are here to help you. Contact us at +1 (216) 533-2353 or  
ovi@quick3pl.com

## INDEX

### S

|                                              |    |
|----------------------------------------------|----|
| Semi-Automatic Strapping Machine JN- 600     | 6  |
| Semi-Automatic Strapping Machine JN- 600VS   | 8  |
| Semi-Automatic Strapping Machine JN- 700     | 5  |
| Semi-Automatic Strapping Machine JN- 740     | 3  |
| Semi-Automatic Strapping Machine JN- 740DH   | 1  |
| Semi-Automatic Strapping Machine JN- 7mini-B | 10 |



**QUICK 3PL**  
LOGISTICS SIMPLIFIED