TABLE OF CONTENTS

Semi-Automatic Strapping Machine JN-740-Series 2
- Semi-Automatic Strapping Machine JN- 740DH 2
- Semi-Automatic Strapping Machine JN- 740 4
- Semi-Automatic Strapping Machine JN- 700 6
- Semi-Automatic Strapping Machine JN- 600 7
- Semi-Automatic Strapping Machine JN- 600VS 9
- Semi-Automatic Strapping Machine JN- 7mini-B 11

SEMI-AUTOMATIC STRAPPING MACHINE JN-740-SERIES

SEMI-AUTOMATIC STRAPPING MACHINE JN-740DH

SKU: JN- 740DH

Semi-Automatic Strapping Machine JN- 740DH

- Front door opening design makes loading and unloading dispensers more convenient.
- Semi-Automatic Strapping Machine JN- 740DH provides instant heating in 20 seconds.
- Economical design of control switch, independent PCB controls feeding, tensioning and heating.
- External adjustable tension knob provides simple operation (optional).
- Energy saving mode activates within 15 seconds of non-use and allows for instant operation.
- Innovatory die-cast seal blade eliminates blade distortion, short circuiting and rapid aging that are common in many conventional strapping machines.
- Easier changeover of straps suitable for 6~15mm strap width through strap guide.

Specifications

Strap Cycle Speed	1.5 Sec/Cycle
Tension Strength	15-60 kgs/Max.
Table Height	735mm
Strap Width	6- 15mm
Sealing Method	Heat Sealing
Min. Package Size	60mm
Power Supply	110/220v 50/60Hz single phase
Dimensions	895W x 570D x 735H mm (Standard)
Machine Weight	95 kgs

Gross Weight	120 kgs

Categories: Semi-Automatic Strapping Machine JN-740-Series, Strapping Machine

SEMI-AUTOMATIC STRAPPING MACHINE JN-740

SKU: JN- 740

Semi-Automatic Strapping Machine JN- 740

- Semi-Automatic Strapping Machine JN- 740 provides instant heating in 20 seconds
- Economical design of control switch, independent PCB controls feeding, tensioning and heating.
- External adjustable tension knob provides simple operation (optional).
- Energy saving mode activates within 15 seconds of non-use and allows for instant operation.
- Innovatory die-cast seal blade eliminates blade distortion, short circuiting and rapid aging that are common in many conventional strapping machines.
- Easier changeover of straps suitable for 6~15mm strap width through strap guide.
- Stainless steel frame is available for strapping humid products.

Specifications

Strap Cycle Speed	1.5 Sec/Cycle
Tension Strength	15-60 kgs/Max.
Table Height	735mm
Strap Width	6- 15mm
Sealing Method	Heat Sealing
Min. Package Size	60mm
Power Supply	110/220v 50/60Hz single phase
Dimensions	895W x 570D x 735H mm (Standard)
Machine Weight	95 kgs
Gross Weight	120 kgs

Categories: Semi-Automatic Strapping Machine JN-740-Series, Strapping Machine

We are here to help you. Contact us at +1 (216) 533-2353 or ovi@quick3pl.com

SEMI-AUTOMATIC STRAPPING MACHINE JN-700

SKU: JN- 700

Semi-Automatic Strapping Machine JN- 700

- Semi-Automatic Strapping Machine JN- 700 provides instant heating in only 20 seconds.
- One-touch machine operation.
- Energy saving mode activates within 15 seconds of non-use and allows for instant operation.
- Simple adjustment of strap guides allows for the strap width setting of 6mm to 15mm. All electric parts are installed on independent circuit boards.
- All electric controls utilize DC 24V to ensure safety.

Specifications

Strap Cycle Speed	1.5 Sec/Cycle
Tension Strength	65 kgs/Max.
Table Height	730mm
Strap Width	6- 15mm
Sealing Method	Heat Sealing
Min. Package Size	60mm
Power Supply	110/220v 50/60Hz single phase
Dimensions	895W x 570D x 730H mm (Standard)
Machine Weight	100 kgs
Gross Weight	120 kgs

Categories: Semi-Automatic Strapping Machine JN-740-Series, Strapping Machine

SEMI-AUTOMATIC STRAPPING MACHINE JN-600

SKU: JN- 600

Semi-Automatic Strapping Machine JN- 600

- Semi-Automatic Strapping Machine JN- 600 is designed for easy operation.
- Energy saving mode activates within 15 seconds of non-use and allows for instant operation.
- Lift type top cover allows convenient maintenance.
- External adjustable tension knob provides simple operation (optional).
- Easier changeover of straps suitable for 6~15mm strap width through strap guides.
- Internal power of DC 24V eliminates shock and prolongs machine life.
- Optional installation for different needs:
- Stainless steel frame is available for strapping humid

1. Exchange of brake wheels available.
2. 730~830mm height adjustable.

Specifications

Strap Cycle Speed	1.5 Sec/Cycle
Tension Strength	65 kgs/Max.
Table Height	730mm
Strap Width	6- 15mm
Sealing Method	Heat Sealing
Min. Package Size	60mm
Power Supply	110/220v 50/60Hz single phase
Dimensions	895W x 570D x 730H mm (Standard)
Machine Weight	100 kgs
Gross Weight	120 kgs

Categories: Semi-Automatic Strapping Machine JN-740-Series, Strapping Machine

We are here to help you. Contact us at +1 (216) 533-2353 or ovi@quick3pl.com

SEMI-AUTOMATIC STRAPPING MACHINE JN-600VS

SKU: JN- 600VS

Semi-Automatic Strapping Machine JN- 600VS

- Internal power of DC 24V eliminates shock and prolongs machine life.
- Vertical side-seal head to minimize dust, water or any contamination in the machine.
- Semi-Automatic Strapping Machine JN- 600VS has an adjustable 20-step table height from 450~850mm, increases variety of package sizes and eliminates the need for tools.
- Use of a changeable circuit board provides easy replacement and the side-seal head ensures safe, easy maintenance.
- Optional installation for different needs:

1. Use of stainless steel rollers to forward and reverse strap feed.
2. Enlarged working table.
3. Stainless steel castors instead of standard.
4. Installation of internal lamp to keep cabinet dry.

Specifications

Strap Cycle Speed	1.5 Sec/Cycle
Tension Strength	65 kgs
Table Height	450-850mm
Strap Width	6- 15mm
Sealing Method	Heat Sealing
Cylinder	Inner Diameter; 040
Power Supply	110/220v 50/60Hz single phase
Dimensions	675W x 1045D x 1720H mm (Standard)
Machine Weight	130 kgs
Gross Weight	192 kgs

Categories: Semi-Automatic Strapping Machine JN-740-Series, Strapping Machine

QUICK 3PL
LOGISTICS SIMPLIFIED

SEMI-AUTOMATIC STRAPPING MACHINE JN-7MINI-B

SKU: JN- 7mini-B

Semi-Automatic Strapping Machine JN- 7mini-B

- Semi-Automatic Strapping Machine JN- 7mini-B is suitable for light tension packaging in 6~15mm strap width.
- Energy saving mode activates within 15 seconds of non-use and allows for instant operation.
- Lift type top cover allows for convenient maintenance.
- Easy external adjustable tension knob from 15~45kgs

Specifications

Strap Cycle Speed	1.5 Sec/Cycle
Tension Strength	15-45 kgs
Table Height	790mm
Strap Width	6.9.12. 15mm
Sealing Method	Heat Sealed
Cylinder	Inner Diameter; 040
Power Supply	110/220v 50/60Hz single phase
Dimensions	640W x 420D x 790H mm (Standard)
Machine Weight	72 kgs
Gross Weight	90- kgs in wood case

Categories: Semi-Automatic Strapping Machine JN-740-Series, Strapping Machine

We are here to help you. Contact us at +1 (216) 533-2353 or ovi@quick3pl.com

INDEX

S

Semi-Automatic Strapping Machine JN- 600 6
Semi-Automatic Strapping Machine JN- 600VS 8
Semi-Automatic Strapping Machine JN- 700 5
Semi-Automatic Strapping Machine JN- 740 3
Semi-Automatic Strapping Machine JN- 740DH 1
Semi-Automatic Strapping Machine JN- 7mini-B 10