



TABLE OF CONTENTS

| | |
|--------------------------------------|---|
| Vertical Type Bead Mill | 2 |
| SL-300 Vertical Type Bead Mill | 2 |
| SL-150 Vertical Type Bead Mill | 6 |





VERTICAL TYPE BEAD MILL



SL-300 VERTICAL TYPE BEAD MILL

SKU: SL-300

SL-300 Vertical Type Bead Mill

Product Features

- **Explosion-Proof Motor**
- **Gap of Agitator - Shaft Adjustable System (Entry Grade with Reliability)**
- **Temperature Control System (Quality Control)**
- **Counting Running Hours (Quality Control)**
- **Abnormal Shut Down Alarm (Increase Productivity)**
- **ARO 1" Diaphragm Pumps**
- **Options: Airtight Electrical Cabinet with Metal Switch (Increase Security)**
- **Options: Human Machine Interface (Easy-Operation and Data Collection)**
- **Options: Stainless Grinding Tank and Blade (Suitable for Water-Based Products)**



SPECIFICATIONS




| Model | | SL-300 | SL-300(E) |
|--------------------------|----|---------|-----------|
| Equipment Dimension (mm) | H | 2,180 | 2,180 |
| | W | 1,016 | 1,016 |
| | L | 1,480 | 1,480 |
| Weight(Kg) | | 1,418 | 1,628 |
| Power | HP | 50 HP | |
| | KW | 37.5KW | |
| Tank Capacity (Liter) | | 30 | |
| Tangential Velocity(m/s) | | 9.0 | |
| Milling Media Size(mm) | | 0.4~2.5 | |




QUICK 3PL

LOGISTICS SIMPLIFIED





QUICK 3PL
LOGISTICS SIMPLIFIED



Category: [Vertical Type Bead Mill](#)



SL-150 VERTICAL TYPE BEAD MILL

SKU: SL-150

SL-150 Vertical Type Bead Mill

Product Features

- **Explosion-Proof Motor**
- **Gap of Agitator - Shaft Adjustable System(Entry Grade with Reliability)**
- **Temperature Control System(Quality Control)**
- **Counting Running Hours(Quality Control)**
- **Abnormal Shut Down Alarm(Increase Productivity)**
- **ARO 1" Diaphragm Pumps**
- **Options: Airtight Electrical Cabinet with Metal Switch(Increase Security)**
- **Options: Human Machine Interface(Easy-Operation and Data Collection)**
- **Options: Stainless Grinding Tank and Blade(Suitable for Water-Based Products)**



SPECIFICATIONS




| Model | | SL-150 | SL-150(E) |
|--------------------------|----|---------|-----------|
| Equipment Dimension (mm) | H | 1,720 | 1,720 |
| | W | 876 | 876 |
| | L | 1,260 | 1,260 |
| Weight(Kg) | | 846 | 1,050 |
| Power | HP | 20 HP | |
| | KW | 15KW | |
| Tank Capacity (Liter) | | 15 | |
| Tangential Velocity(m/s) | | 9.0 | |
| Milling Media Size(mm) | | 0.4~2.5 | |




QUICK 3PL

LOGISTICS SIMPLIFIED



QUICK 3PL

LOGISTICS SIMPLIFIED





QUICK 3PL
LOGISTICS SIMPLIFIED

Category: [Vertical Type Bead Mill](#)



QUICK 3PL
LOGISTICS SIMPLIFIED



QUICK 3PL

LOGISTICS SIMPLIFIED



QUICK 3PL

LOGISTICS SIMPLIFIED



INDEX

S

| | |
|--------------------------------|---|
| SL-150 Vertical Type Bead Mill | 5 |
| SL-300 Vertical Type Bead Mill | 1 |

